

Océ | Specifications



Océ Draft Paper

Océ Draft Paper, is the most commonly used paper for draft prints and check prints. It is a low-cost standard paper that gives good results with line work as well as for drawings with simple fills, both monochrome and in colour.

**Océ Imaging
Supplies**
Product Info

IJM005
Wide-format CAD
Version 3

Product description Uncoated white paper suitable for monochrome and colour draft plots

Physical properties	Weight	75 ± 3 g/m ²	ISO 536
	Calliper	97 ± 3 microns	ISO 534
	Opacity	> 90 %	Elrepho 3000 D65 10XLAV
	Whiteness	146 ± 3 CIE	Elrepho 3000 D65 10XLAV
	Roughness Bendtsen		ISO 8791
	- frontside	190 ± 50 ml/min	
	- backside	220 ± 50 ml/min	
	Stiffness		ISO 2493 (15°; 10mm)
	- machine direction	100 ± 15 mN	
	- cross direction	40 ± 10 mN	

Features Good dot gain control, resulting in fine line sharpness
Suitable for low fill area's

Main applications Monochrome and colour CAD line drawings
Drawings for draft purposes

Océ Draft Paper

Océ Imaging
Supplies
Product Info

IJM005

Wide-format CAD
Version 3

Processing information

Side to be printed is the outer side of the roll
Best results between 15° - 25°C and 30-70 %RH (especially higher humidity will increase drying time, low humidity may cause curl)
Daily check/cleaning of cartridges or printheads is recommended.

Outdoor suitability

This material is not suitable for outdoor use

Storage conditions

Temperature 10° - 30° C
Relative Humidity 20-80 %
Repack opened rolls when not in use
Allow material to adapt to room conditions 24 hours before printing

Health, safety & environment

No Material Safety Data Sheet required
Waste can be handled as paper waste



Performance on major CAD inkjet printers

	Type	Engineering (CAD)	Architecture (AEC)	Geographic Information Systems (GIS)	3D CAD	Posters & Presentations	Photo
Océ	TCS400	4	4	2	1	1	1
	5150 / 5250	4	4	3	1	1	1
	5200	3	3	3	2	1	1
	5120	4	4	3	1	1	1
	5100C	3	3	2	2	1	1
HP	5500 / 5500ps *	4	4	2	2	1	1
	5000 / 5000ps *	4	4	2	2	1	1
	3000cp / 3500cp / 3800cp *	4	4	2	2	1	1
	2000cp / 2500cp / 2800cp *	4	4	2	2	1	1
	1050C / 1055cm / 1050c plus / 1055cm plus	4	4	2	1	1	1
	500 / 500ps / 800 / 800ps	4	4	3	1	1	1
	750c / 750c plus / 755cm	4	3	3	1	1	1
Encad	Novajet 800 series	4	3	2	1	1	1
	Novajet 700 / 750	4	3	2	1	1	1
	Novajet 500	4	3	2	1	1	1
	Cadjet 3D	4	3	3	1	1	1
	Cadjet T-200	4	3	3	1	1	1
Canon	BJW-9000						
	BJW-3000 / BJW-3050	4	4	3	1	1	1
Calcomp	TechJET 5500 series	3	3	3	1	1	1
	TechJET 5300 series	3	3	3	1	1	1
	TechJET 720C	4	4	3	1	1	1
	TechJET 720	4	4	3	1	1	1
Selex	S 900D / S 900E	3	3	2	1	1	1
	SR 700 / SR 850D / SR 850E	4	4	3	1	1	1
	SR 700E / SR 700D / SR 710D/E	4	4	3	1	1	1

4: Excellent, 3: Good, 2: Fair, 1: Not recommended

Print quality mode: Normal

* : Only with dye ink

If your printer is not listed, please contact your local Océ supplies organisation

Océ-Technologies B.V.



P.O. box 101

5900 MA Venlo, the Netherlands

+31 (0) 77 3592222

www.oce.com

Page 3 of 3